

**2026-2027**

**Outdoor Lighting**





## Company profile

Lord Benex International Co., Ltd. was established in Taiwan in 1992. For more than three decades, we have focused on outdoor and portable LED lighting products, accumulating extensive experience in international trade, product introduction, engineering coordination, and manufacturing management.

Our product portfolio includes dynamo emergency torches, solar power lights, headlamps, camping lanterns, bicycle lights, flashlights, and other LED lighting products. In the field of bicycle illumination, Lord Benex has built many years of product experience. In the past, we participated in the development of products designed to meet international standards such as the German Road Safety Regulations (StVZO / K-MARK), and one of our bicycle lighting products was recognized with the iF International Product Design Award.

With years of experience in in-house manufacturing, product coordination, engineering testing, and quality management, Lord Benex provides well-established lighting products with stable quality and practical market value. From our early eco-friendly dynamo flashlights to bicycle lights with high/low beam functions, we continue to focus on practical, safe, and reliable lighting solutions.

In response to changes in the industry and market environment, Lord Benex currently places greater emphasis on the supply management, quality consistency, and customer communication of our existing product lines. With a pragmatic, responsible, and steady approach, we are committed to maintaining product quality and building long-term, trustworthy business partnerships with customers worldwide.

**Overthrow the Tradition.**  
**Rein in the Future.**  
**Create the brand new joyfulness of Night Ride.**



<https://www.lordbenex.com>







**StVZO 22A, TA 23**

**K-Mark**

>1H Power Consumption- 20Lux / 10M  
Beam Profile  
Color Measurement  
No Flashing



RED: BENEX'S PERFORMANCE  
BLUE: STANDARD OF StVZO 22A, TA 23



**LATERAL VIEW-**  
Avoid to offend the eyes of incoming riders




**ECE REGULATION CLASS B**

**E-Mark R113**

Futuristic Design  
LED E-Bike front light  
45km / h E-BIKE

**Class B Beam Form**



	Angular coordinates (degrees)		Luminous intensity in cd
Any point in zone 1	0°~15° U	5° L ~ 5° R	≤ 700 cd
Any point on line 50L to 50R	0.86° D	2.5° L ~ 2.5° R	≥ 1,100 cd
Point 50V	0.86° D	0	≥ 2,200 cd
Any point on line 25L to 25R	1.72° D	5° L ~ 5° R	≥ 2,200 cd
Any point in zone 2	0.86°~1.72° D	5° L ~ 5° R	≥ 1,100 cd

Law Beam Min. Light Value 350Lm Max.Light Value-1000Lm



**Low Beam**



Light beam at near distance



**VERTICAL VIEW-**  
1-10m light beam's efficiently scattered over the roadside

Photo taken from the StVZO light beam of bike light



**Mobile Current**

1. Extend the Runtime.
2. Smooth beam intensity adjustment.



**ZOOM Tec.**



Reflector + Convex Les = TIR  
Optical Efficiency- 90% ~ 92%  
Nr.20 2011 004 474.2



**Simulated Radar Light**

Radar simulated detection, clear light signal to the cars behind.  
Auto detection and warning to the cars behind.



**Power Energy Sever Control (PESC Tech.)**

Auto Max Power Restoration  
Max. beam intensity would always be held while the power capacity at the level over 60%.



**Smart Brake Tech.**

Auto Brake Attraction System (SMBrake Tech.)



**Auto ON / OFF**

Auto light off when bike parked.  
Auto light on when bike being cycled.



**Daylight**

Auto ON in daytime, to be seen while cycling.



**Speed Tech.**

Beam intensity adjustment according to your cycling SPEED, the faster you go  
The brighter you have.

**G-Tech.**



**Uphill / Downhill**

Auto adjustment of beam angle for cycling at Uphill or Downhill



**Curves**

Beam reinforcement for cycling at Curves



**Standlight**

Light is still on for 4Min.while bike stopped.



**Low / High Beam**

Auto low beam off when the light beam from the oncoming cars being detected



**Power Management**

Perfect power management between the Dynamo Light and Dynamo hub to reduce the Pedal loading.

NEW





### 1000Lm Multifunction COB LED Slim Work Light with super bright torch light

Rech. Batt. 3600mAh

ET-1318 1000LM

1. The compact and ultra-slim design makes the lights comfortable to carry and use.
2. Strong magnetic base - Our rechargeable work light comes with Built-in strong magnet, which make it can be firm stay on car or any other metal surface.
3. Utility Hook design - The back of the worklight has a foldable hook, can hang the worklight in the position that needs also can fold receive, save a space. The hook design allows the work lamp to be hang on objects such as tents use as camping light.
4. Portable & light weight - This work light is designed for multi-purpose, perfect for indoor and outdoor activities, It give you wild applications for home, car repair, camping, hunting, fishing, DIY, reading, etc.



**5 IN 1 CLIP**


5 In 1 Clip design  
5-in-1 clip offers adjustable stand, multi-angled Grip, strong magnet, hook and adjustable clip applications. Hook and magnetic base make the work light has a wider range of application. And you can put it in any place.



**Magnetic back design**  
The magnetic design on the bottom makes it easy to pick up the metal surface & free your hands.



**Focus beam - High power led**  
Top high-power LED can be used as a flashlight for narrow work areas.



NEW




### Clip to Fit Running light

Rech. Batt. 660 mAh

ET-1332 250LM

Rech. Batt. 480 mAh

ET-1332-C 150LM



1. Adjustable clip to fit different kinds of caps




2. Fashionable and perfectly fitted to your cap. Hidden concealed design to clip it under the brim of cap securely.



3. Close to forehead by means of the lever and the gravity of light on the cap to keep the light from sagging or swaying.



4. The unique optical design offers the light beam spreading evenly from tiptoe to the far distance. Let the user not afraid to take every step forward.





ET-1317-D & ET-1317-DR : Red COB

## LED Headlamp

1. All in One: work as a headlamp when mounted on the head, belt or bracket, becomes a torch or camping lantern when on its own.
2. 400LM Focused Main Light is built in with another soft and smooth COB broad beam, multifunctional features as ONE instead of MANY, convenient and easy to carry.
3. Compact design with ultra brightness high value.



WORK LIGHT

Magnetic

HEADLIGHT

BIKE LIGHT

CAMP LIGHT



Switch to the Spot / Flood beam, adjustable lighting according to different needs.



Magnetic tail cap design easy attach to any metal surfaces for maintenance



Clip on the torch is designed to go on belt, bag or strap



Can be used as a camp light or guidence



## Dual Light

ET-1317 Headlamp + Torch ( Camplight & Worklight )



ET-1317-D Red COB

## Dual Light

ET-1317-R Headlamp + Torch ( Camplight & Worklight )



ET-1317-DR Red COB

Clip bracket, ideal for clothing and bags.



Small & Compact

## Torch

ET-1317-T Torch ( Camplight & Worklight )



## Torch


ET-1317-RT Torch ( Camplight & Worklight )



Work as bike light, easy to switch to focused / COB flood light for various scenarios

## Utility Light

Headlamp + Bike light + Torch ( Camplight & Worklight )




Headlamp Bracket & Head Strap

Bike light Bracket

Torch Camplight Worklight



Headlamp which is powered by Both dry batteries and rechargeable battery. It runs on AAA batteries, which means that you can easily double – or triple – the burn time by simply bringing more batteries. Well-balanced, thanks to the remote battery pack on the back-- The ergonomic back plate is designed to hold the battery steady on the back of your head. Multi-beam lighting adapts to a wide variety of situations.



Rechargeable battery pack With safety light - a red rear light adding extra visibility in the dark. The unique optical design offers broad and wide vision from near to far road illumination.

**Double Vision Heahlamp**

ET-1328 Rechargeable battery or 3 x AAA batteries

ET-1328-R 18650 Li-ion rechargeable battery 1800mAh

ET-1328 comes with the rechargeable battery and is also compatible with three AAA / LR03 batteries (not included).



**Position adjustment**

- 1. Adjust the length of head strap to fit your head.
- 2. Max. adjustable angle 60 degrees

60M RED LED  
15H 67g

Power saving, long lasting runtime, light weighted, small and compact.

15°

Unique Optical Lens with Focused / Broad beam design, illumination for Both far / near sight to make hiking safer.

Red for reading, astronomy star, maps, and preserving nightvision, hunting.

Ideal for mountain climbing, Emergency Rescues, Maintenance...etc.

Water Proof-IPX4

450 Lumens Headlamp. Unique Optical Lens with Focused / Broad beam design, illumination for Both far / near sight to make hiking safer. Red for reading, astronomy star, maps, and preserving nightvision, hunting. Great for hiking, DIY, Repairing, Reading, Camping...etc. A Sturdy, Pivoting mount with 60 degree adjustable the light easily. Clear, soft, evenly light beam. Small, light weight, compact, elegant headlamp.




**450LM Eagle-Eye Headlamp**

Rech. Batt. 1200 mAh

ET-1312

The light is clear and soft, evenly distributed. Light, compact, elegant, dynamic. 3 x AAA Batteries included. Low power dissipation and wide view angle - Ideal for overnight hiking, trekking, camping, trail running, care repair, changing tires, boating, dog walking, etc.



**500 Lumens Wide-Angle COB LED Headlamp**

ET-1327 White COB LED

ET-1327-D White / Red COB LED

**LED Headlamp**  
Exclusive design for mountain climber.



Red/Green for reading, astronomy star, maps, and preserving nightvision, hunting.

Head for mountain climbing, Emergency Rescues, Maintenance...etc.

**Nighthawk**

1. Ultra bright 410Lm
2. Variation of lighting modes, suitable for different situations and movements.
3. Warm White / Red / Green light providing visual comfort.

ET-1315

ET-1315-W

Ultra-bright and lightweight: 500 lumens at only 60 g.  
1. Visual comfort, giving high-performance lighting for outdoor activities: proximity vision, movement and distance vision.  
2. Intuitive and convenient to use: Ease of use, with a single button providing control over all functions: ON / OFF, lighting modes, brightness.  
3. Detachable, washable headband.



**6W 500Lm Spot / Flood Beam LED Headlamp**



ET-1326

**300Lm Mist Radiance LED**




ET-1311


1. White / Fog Lamp
2. Zoom IN / OUT Mode




ET-0238  
250Lm Multicolor



ET-0239  
300Lm LED MINI



ET-9109  
1.7W Cycloper



ET-9110  
1W Evening Sra




HEAD STRAP OPTIONS

Multi-adjustable head strap

Fully Adjustable to Fit Most Sizes.  
Fits over Hats, Caps, Beanies and Helmets.



F Head strap Fashion Pattern



Designed for ET-1317 & ET-1317-R & ET-1311.

Works with ET-1317 & ET-1317-R & ET-1326 & ET-1315 & ET-1315-W & ET-1311 & ET-1327 & ET-1312 & ET-1312-A.



B Head strap Brainwave Pattern



Designed for ET-1315 & ET-1315-W & ET-1326 & ET-1327 & ET-1312 & ET-1312-A.

Works with ET-1317 & ET-1317-R & ET-1326 & ET-1315 & ET-1315-W & ET-1311 & ET-1327 & ET-1312 & ET-1312-A.



C Head strap Camouflage Pattern



Designed for ET-1326.

Works with ET-1317 & ET-1317-R & ET-1326 & ET-1315 & ET-1315-W & ET-1311 & ET-1327 & ET-1312 & ET-1312-A.


Adjustable and compact design.  
One Size Fits All adjustable head strap mount allows for use on head and helmets.  
Its fully adjustable design and forgiving elastic construction ensures a snug fit over helmets, hats, caps or simply worn comfortably on top of your head.  
Works with ET-1317 & ET-1317-R & ET-1326 & ET-1315 & ET-1315-W & ET-1311 & ET-1327 & ET-1312 & ET-1312-A.



Q Head strap Quick, Easy Adjustment



Exclusive design -  
On the reverse side  
Adjustable Sliding Centre Double D-Ring




Unique design - Adjust the head strap tightness of the headlamp on the helmet

HEADLAMP OVERVIEW

ANSI STANDARD	NEW		NEW		NEW			
	ET-1317-D	ET-1317-DR	ET-1315	ET-1315-W	ET-1312	ET-1327	ET-1327-D	ET-1332
Page	31	31	34	34	33	33	33	30
Max. light output	150LM±15%	400LM±15%	410LM±15%	410LM±15%	450LM±20%	500LM±20%	500LM±20%	250LM±20%
Max. runtime	High (Spot Beam) 3H Med (Spot Beam) 7.5H Low (Spot Beam) 16H Flood White COB 3H Flood Red COB 3H Flashing 20H	High (Spot Beam) 3H Med (Spot Beam) 7.5H Low (Spot Beam) 16H Flood White COB 6.5H Flood Red COB 3H Flashing 20H	Full 2.5H Normal 64H Red 29H Green 40H Flashing 27H	Full 2.5H Normal 64H Warm white Assisted Light 6.5H Flashing 27H	High 3Hz±20% Med 6Hz±20% Low 9Hz±20% RED 6Hz±20% Flashing 15Hz±20%	High 2.5Hz±20% Med 5.5Hz±20% Low 42Hz±20% Flashing 30Hz±20%	High 2.5Hz±20% Med 7Hz±20% Low 42Hz±20% RED 12Hz±20% Flashing 80Hz±20%	MAX. 2.5Hz±20% Standard 5.5Hz±20% ECO. 9Hz±20%
Peak beam intensity	380CD	2080CD	1400CD	1400CD	1000CD	160CD±20%	160CD±20%	480CD±20%
Beam Distance	55M±20%	90M±20%	75M	75M	60M	25M	25M	40M
Impact Resistant	1M	1M	1M	1M	1M	1M	1M	1M
Water Proof	IPX 6	IPX 6	IPX 6	IPX 6	IPX4	IPX4	IPX4	IPX4
Size	84 x 38 x 42mm	84 x 38 x 42mm	67 x 37 x 47mm	67 x 37 x 47mm	68 x 43 x 39mm	67 x 37 x 47mm	67 x 37 x 47mm	169 x 85 x 52mm
Weight (Batt. Excl)	30g	50g	62g	62g	67g	58g	58g	48g
Battery	1pc "AA"	1pc 3.7V 800mAh	3pcs "AAA"	3pcs "AAA"	1pc 3.7V / 1200mAh	3pcs "AAA"	3pcs "AAA"	3.7V / 660mAh
Material	ABS / PC	ABS / PC	ABS / PC	ABS / PC	ABS / PC	ABS / PC	ABS / PC	ABS / PC
Light source	1pc Cree LED & 1pc COB LED	1pc Cree LED & 1pc COB LED	1pc Cree LED & 4pcs Red / Green LEDs	1pc Cree LED & 4pcs Osram warm white LEDs	1pc Cree LED, 2pcs Red LED, 1pc Ø3mm Red LED, 1pc Red / Green LED	1 x COB LED	1 x COB LED	3pcs X CREE LED & 1pc Green / Red LED

ANSI STANDARD	NEW		NEW		NEW	
	ET-0238	ET-0239	ET-9109	ET-9110	ET-1326	ET-1311
Page	34	34	34	34	34	34
Max. light output	250LM	300LM	80LM	60LM	500LM±15%	300LM±15%
Max. runtime	High 4H Normal 6H Red 70H Green 70H	High 6H Normal 12H Blinking 18H	High 7H Normal 16H Blinking 36H	High 6H Normal 19H Blinking 35H	Max beam 2.5H High flood 10H Low flood 32H Red 49H Flashing 64H	Normal 7H Full 3.5H Flashing 12H
Peak beam intensity	100CD	2400CD	124CD	57CD	1400CD	2280CD
Beam Distance	20M	98M	22M	15M	75M	95M
Impact Resistant	1M	1M	1M	1M	1M	1M
Water Proof	IPX 4	IPX 3	IPX 3	IPX 3	IPX 4	IPX 3
Size	70 x 33 x 44mm	70 x 44 x 41.5mm	67 x 37 x 47mm	67 x 37 x 47mm	64 x 36 x 43mm	67 x 37.5 x 46.5mm
Weight (Batt. Excl)	40.7g	45g	38g	39g	60g	56g
Power source	3pcs "AAA"	3pcs "AAA"	3pcs "AAA"	3pcs "AAA"	3pcs "AAA"	3pcs "AAA"
Material	ABS / PC	ABS / PC	ABS / PC	ABS / PC	ABS / PC	ABS / PC
Light source	4pcs Osram LEDs & 1pc Red / Green LED	1pc Cree LED	1pc Cree LED	1pc Cree LED	1pc Cree LED & 2pcs Red LED & 2pcs Osram LED	1pc Cree LED



Advanced LED Optical zoom series

Reflector + Convex Lens=TIR  
Optical Efficiency-90%~92%

**LED Spotlight**  
Rechargeable Version

Adjustable multi-angle position as a Work light.


Exclusive patented zoom technology, easy and convenient to adjust short and long-range illumination

The size and distance of the illumination area can be adjusted as you like, suitable for engineering maintenance, military and police search for emergency rescue, mountaineering expedition.

Aluminum lamp body provides excellent fall, crush and impact resistance.

Patent Lens: reflector, convex and TIR.

Settings: High, mid, low, blinking.



Max. LED Output **2100LM**



Distance  
**530M**



ET-0818

Position of multi-angled Grip

**18W LED Zoom Spotlight**  
**LI-Night-Hunter ANSI 1500LM**

ANSI FLI STANDARD	Light output	Max. runtime	Peak beam intensity	Beam Distance	Impact Resistant	Water Proof	SIZE	WEIGHT (Batt. Inclu)	POWER SOURCE
ET-0811	550LM±20%	13H±20%	20000CD	280M±20%	1M	IPX-6	146x86x180mm	498g (Batt. not inclu)	4pcs x "C" Batteries (Batteries not included)
ET-0813	550LM±20%	13H±20%	20000CD	280M±20%	1M	IPX-6	146x86x180mm	469g (Batt. not inclu)	4pcs x "C" Batteries (Batteries not included)
ET-0812-H	600LM±20%	10H±20%	80000CD	510M±20%	1M	IPX-6	146x86x180mm	560g	*18650 3.7V / 3600mAh Lithium Batteries 1800mAh x 2pcs
ET-0815-H	700LM±20%	6H±20%	80000CD	510M±20%	1M	IPX-6	137x80x173mm	383g	*18650 3.7V / 1800mAh Lithium Batteries x 1pc
ET-0816-H	700LM±20%	6H±20%	80000CD	510M±20%	1M	IPX-6	150x100x188mm	530g	*18650 3.7V / 1800mAh Lithium Batteries x 1pc
ET-0817-H	700LM±20%	6H±20%	68000CD	520M±20%	1M	IPX-4	152x112x192mm	676g	*18650 3.7V / 3600mAh Lithium Batteries 1800mAh x 2pcs
ET-0818	1500LM±20%	10H±20%	72000CD	530M±20%	1M	IPX-6	146x101x196mm	752g	3.7V / 5400mAh Lithium Rechargeable

**LED Spotlight**  
Battery Version



Max. LED Output  
**600LM**

Distance  
**280M**



**10W AR-Night Hunter**

ET-0811 ANSI 550LM



Max. LED Output  
**600LM**

Distance  
**280M**



**10W GE-Night Hunter**

ET-0813 ANSI 550LM

**LED Spotlight**  
Rechargeable Version

Max. LED Output **908LM**



Distance  
**520M**



**10W VI-Night Hunter**

ET-0817-H ANSI 700LM

Multi-angled Grip



Distance  
**510M**



**8W LE-Night Hunter**

ET-0816-H ANSI 700LM

Multi-angled Grip

Max. LED Output **770LM**



Distance  
**510M**



**8W CA-Night Hunter**

ET-0815-H ANSI 700LM

Multi-angled Grip

Max. LED Output **660LM**



Distance  
**510M**



**10W TA-Night Hunter**

ET-0812-H ANSI 600LM

Multi-angled Grip



Benex's Power-Drive is a patented module technology. Energy achieves energy-saving through ECO frequency conversion, and exceeds brightness performance!



- 100**  
LM
- 150**  
LM
- 200**  
LM
- 500**  
LM
- 700**  
LM
- 1100**  
LM
- 1500**  
LM

ET-0991 ET-0992 ET-0993 ET-0994 ET-0995 ET-0996 ET-0997

## Power-drive Flashlight Series


Dry battery

### PATENTED MODULE TECH.


Benex's Power-Drive provides more light with longer run time than any other comparable flashlight.



**FLOOD TO SPOT**



BENEX



Other



Benex's Power-Drive is a patented module technology. Energy achieves energy-saving through ECO frequency conversion, and exceeds brightness performance!

**3000**  
LM



Input/output charging system

## ET-0970-U Ultra-bright LED FLASHLIGHT - Focus/Flood beam




Benex's Power-Drive is a patented module technology. Energy achieves energy-saving through ECO frequency conversion, and exceeds brightness performance!

**1000**  
LM



Powered by either dry batteries or rechargeable battery.



Rechargeable battery Input/output charging system

## ET-0967 Hybrid Luminare 1000LM - Focus/Flood beam

Hybrid Luminare Series	Rechargeable Luminare Series		
 ET-0967 <b>1000</b> LM	 ET-0968 <b>500</b> LM	 ET-0969 <b>1200</b> LM	 ET-0970-O <b>3000</b> LM



**ET-0991-T**  
Multi-Purpose Flashlight





**08-1305**  
Multi-Purpose Flashlight

Wide and Easy to Use

Whether you're cycling, running, jogging, walking your dog, camping, trekking, care repair, changing tires, boating, hiking or skateboarding, our safety lights will keep you safe and secure.

And it's also easy to use, you just need to mount to your bicycle or hook it onto your belt, running gear, reflective vest, backpack, bags, dog collars, harnesses, or your clothing.

Even you can mount on your helmet, wheelchair, skateboard, scooter, stroller, bike trailer, or anywhere you can imagine.



Easily attaches to

- Saddle Bag
- Clothing
- Backpacks
- Helmet
- Head Strap
- Bike Trailer
- Bags



**COB SAFETY LIGHT (RED)**

Steady→Breathing→Fireworks→  
Heartbeats→Pulse→Blinking→  
Press 0.8s to turn Off


ET-1330-B ET-1330-D ET-1330-K

OPTIONS:

**ET-1330-B**   
+ Bike Bracket

**ET-1330-K**   
+ Bike Bracket

**ET-1330-D**   
+ Bike Bracket   
+ Head Strap   
+ Armband Strap



**COB SAFETY LIGHT (WHITE)**


Steady→Breathing→Fireworks→  
Heartbeats→Pulse→Blinking→  
Press 0.8s to turn Off

ET-1331-B ET-1331-D

OPTIONS:

**ET-1331-B**   
+ Bike Bracket

**ET-1331-D**   
+ Bike Bracket   
+ Head Strap   
+ Armband Strap



**High-brilliance white LED**

Clip On to Stay Safe and Be Seen at Night.  
After dark, just push the button to use a safety light and that will illuminate your walking path and alerting motorists.



**RED LED**

Warning Light High Visibility for Running, Jogging, Walking, Cycling;  
Protective Gear for Children, Adults and Pets.



Hikers, campers, trekkers

Bicycle Trailer

Dog Walking

Runners, joggers


Clipcap LED Light



ET-1320   
**MR. Q LED Cap Light**  
Size: 38.5 X 33 X 25 (mm)  
2pcs X CR2032 3.6V/ 210mAh  
Ultra-thin & Lightweight (15g)



ET-1321   
**Gizmo LED Cap Light**  
Size: 43 X 30.7X 25 (mm)  
2pcs X CR2032 3.6V/ 210mAh  
Ultra-thin & Lightweight (17g)



ET-1320-B   
**MR. Q LED Cap Light**  
W/Silicon Resin Band  
Tie the silicon Resin band to the handlebar as well as to other objects.



ET-1321-B   
**Gizmo LED Cap Light**  
W/Silicon Resin Band  
Tie the silicon Resin band to the handlebar as well as to other objects.

ET-0195

**Static Eliminator Keychain**

Size: 69 x 28 x 21mm  
180pcs / ctn, 3.9 / 9.5kgs / 2.3'  
3 x LR41 batteries



ET-0196

**Static Eliminator Keychain**

Size: 67 x 23 x 20mm  
180pcs / ctn, 3.2 / 9.5kgs / 2.6'  
3xLR41 batteries



ET-2115   
**Shell**  
**2 in One Ambient Light**  
LED: Osram 0.5W LED x 2pcs  
Power Source: 3pcs x "AAA" Batteries  
Size: 111.4 x 69 x 40mm  
Product Weight: 73g



ET-1601   
**Olympian**  
**LED Lantern RGB & Torch**  
Size: 64 x 64 x 214mm  
3Pcs x 1.5V "AA" batteries  
Product Weight: 133g



ET-0701   
**Touchsmart Torch**  
**Super bright 0.5W LED** 10pcs / 5LED.  
Size: 104 x 37 x 27mm  
1Pc x 1.5V "AA" batteries  
Product Weight: 74g



Panel-Touch-Control to switch Front light and side lights



PT-0140

**Wing Cooler**

Size: 470 x 290 x 370mm  
Open: 930 x 470 x 370mm  
1 pcs / ctn, 7.7 / 8.7kgs / 2.1'  
Cooling: 12H / Capacity: 18.6L

1. Multi Function Rolling Cooler Picnic Camping Outdoor With Table & 2 Chairs.
2. It Is Perfect For A Trip To The Beach, A Trip To The Park, Or A Backyard Party.
3. Features Large, Wide Wheels And A Trolley Handle, Which Make It Easily Transportable.
4. The Sides Unfold To Create A Perfect Picnic Table And Includes Two Folding Stools.



**Bonfire Lantern**



ET-0283-C



**Lantern W/ Power Bank**

- \* Size: 74x74x228mm
- \* 2pcs x Rech. LI-Ion 18650 / 2200mAh Batteries
- \* 4pcs x "AA" Batteries



ET-0283



ET-0283-B




ET-0289



**ELF**

**SOFT LED Portable Lamp**



Hidden power switch, multiple activation by hand, adjust the light intensity instinctively.



Ergonomic wide and comfortable handle, easy carry, indoor or outdoor wherever.



Product Size: 100x100x252 (mm)  
Light Source: Warm LED  
Power Source: 4 x "AA" Batteries

**Lidea®**



ET-0289-1

ET-0289-U1

ET-0289-1A



**ELF SOFT LED Portable Lamp**

1. Simple stylish design by rubber material, as soft as the baby skin.
2. Jelly-like material smoothly performs the light filled with warm atmosphere.
3. Ergonomic wide and comfortable handle, easy carry, indoor or outdoor wherever.
4. Hidden power switch, multiple activation by hand, adjust the light intensity instinctively.



ET-0284

**SolarCamp Lantern**


- \* Size: 104x99x230mm
- \* 1x 18650 "AA" x 3pcs Batteries
- \* Ni-MH 3.6V / 300mAh Battery x 1pc
- \* Polycrystalline Silicon
- \* 40x50mm 5V/36mA



ET-0288-C

**3W LED Camping Lantern**

- \* Size: 77x77x117mm
- \* 4pcs x "AA" Batteries



ET-0285W

ET-0285Y

ET-0286W



**Litee Fairy Camping Lantern**

- \* Size: 110x110x238mm
- \* 3pcs x "AA" Batteries



ET-2202-R



**Luna Portable LED Lamp**

- 4 Ways Vibration power control
- Rechargeable batteries
- Spray Resistance

Size: 199x199x352.7(mm)  
Ni-MH "AA" 1.2V/2000mAh x3pcs  
Input : 100-240V, 50/60Hz,  
Output : 5.0V/1.5A



ET-2201-R



**Luna Portable LED Lamp**

- 4 Ways Vibration power control
- Rechargeable batteries
- Spray Resistance

Size: 199x199x352.7(mm)  
Ni-MH "AA" 1.2V/2000mAh x3pcs  
Input : 100-240V, 50/60Hz,  
Output : 5.0V/1.5A

Code	Images	Battery type	LM	Runtime (Hours)	PATENT IC LiEngine (TMAX)	Weight(g)	Size Dia.x.Length(mm)
07-8940		AAA*2	200	4.5-7.5	✓	27	16.3mm x 132mm
07-8635		AA*2	200	3-22.5		44.5	22mm x 130mm
08-0438		AAA*1	18	11.5		23	19mm x 84.5mm
07-6484		AA*2	500	3.5-36	✓	74	25mm x 153mm
07-9783		AAA*3	400	4-8.5		78	27mm x 112.5mm
07-8941		AAA*2	20	7.5		21	13.6mm x 135mm
07-9611		AAA*3	450	2-8.5		89	34mm x 104.5mm
08-0440		AAA*1	18	11.5		23	19mm x 84.5mm
07-8657		AA*1	150	5-16.5	✓	37	20mm x 90mm
07-8658		AA*2	353	6.5-29	✓	55	20mm x 141mm
08-0011		AA*2	600	0.7-23.5	✓	89	29mm x 164mm
07-9798		AA*3	420	2-18	✓	100	46mm x 45mm
07-8646		AA*3	1350	4-80	✓	315	51.4mm x 257mm
08-0958		AA*3	800	1-18.5		148	42mm x 110mm
07-6483		AA*1	250	3.5-16.5	✓	58	25mm x 102mm
08-0012		AAA*3	500	1-8.5	✓	99	35mm x 102mm
08-0996		AA*3	1100	2.5-31	✓	265	50mm x 159mm
08-1305		AA*1	135	4.2-6.2	✓	38	20mm x 90mm

Code	Images	Battery type	LM	Runtime (Hours)	PATENT IC LiEngine (TMAX)	Weight(g)	Size Dia.x.Length(mm)
07-8942		AAA*2	20	7.5		21	13.6mm x 135mm
08-0993 UV LIGHT		AAA*2	375 ± 5nm	32	✓	47	16mm x 143mm
SLIDE FOCUS		AA*2	175	7-29		51	27mm x 136mm
08-0992 UV LIGHT		AAA*2	375 ± 5nm	32	✓	47	16mm x 143mm
08-1333		AAA*3	650	2.5-36		72	67mmx49mmx42mm
ET-1328 (Rechargeable Dual Power)		1000mAh*1 Rechargeable (included) or AAA*3*2 (not included)	500	2-9		#9battery not included (battery pack is battery)	68x31x42mm (Headlamp) 68*25*42mm (Battery pack)
ET-1328-R		3.7V/1800mAh*1 Rechargeable	500	4-30		133	68x31x42mm (Headlamp) 78*36*33mm (Battery pack)
ET-1318		18650 1800mAh*2 Rechargeable	1000	1-3		243	56x26x148mm
07-8628		AA*1	100	7.5	✓	35	110-170mm x 22 x 22mm
ET-0967 (Rechargeable Dual Power)		18650 2200mAh*1 Rechargeable or AA*3*3	1000	2.5-14	✓	220g (including rechargeable battery)	40*165mm
ET-0968		18650 1800mAh*1	500	1-5		225	45x160mm
ET-0969		18650 2200mAh*1	1200	3-8.5	✓	243	56x26x148mm
ET-0995		AAA*3	700	7.5		166	40*158
ET-0991		AAA*1	100	5	✓	22	16.2*68
ET-0993		AAA*2	200	10	✓	27	16.2*133
ET-0992		AA*1	150	15	✓	50	26*119
ET-0996		AA*3	1100	8.5		299	50*198
ET-0994		AA*2	500	10	✓	62	26.8*152
ET-0997		D*3	1500	22	✓	417	56*290
ET-0970		Li-Ion 3.7V, 2500mAh	3000	25	✓	352	51*232
ET-0998		Li-Ion 3.7V, 2600mAh	600	10	✓	334	40*472

**08-1305**  
**Multi-Purpose Flashlight**

**ET-0991-T**  
**Multi-Purpose Flashlight**

**ET-0991-TS**  
**Multi-Purpose Flashlight**



**PATENTED MODULE TECH**  
Benex's Power-Drive provides more light with more hours of run time than any other comparable flashlight.

135  
LM




100  
LM



100  
LM



Slide zoom focus



SPOT TO FLOOD



Convenient Clip-On Design - Easy and secure attachment



Strong Magnets - Allow a light to be conveniently located.



With 360 degree rotatable bracket to adjust angles.




With 360 degree rotatable bracket to adjust angles.



Magnetic clip makes mounting easy, as well as attaching to a metal surface.

(The bracket is optional)



FLOOD TO SPOT




•Clip on the torch is designed to go on belt, bag or strap



•S clip is designed with 2 directions to go on belt, bag, cap, or strap.



Magnetic base



Compact & Easy to carry.




Two-way Pocket Clip S clip is designed with 2 directions to go on belt, bag, cap, or strap.

Light where & when you need it



700 LM



Power saving, long lasting runtime, light weighted, small and compact for long distance illumination.



Easily switch to Spot / Flood / Red Beam Illumination for reading, astronomy stars, maps, and preserving night vision for hunting



Ideal for mountain climbing, Emergency Rescue, Maintenance....etc

Headlamp / Magnetic Work Light

ET-1326-HM 700LM

Hardhat Headlamp / Magnetic Work Light

ET-1326-HE 700LM

300 LM

Headlamp / Magnetic Work Light

ET-1327-CM 300LM

Hardhat Headlamp / Magnetic Work Light

ET-1327-CE 300LM



Patented -- Benex offers an innovative mounting system -- ingenious simplicity and simply ingenious.



ET-1337-D

650 LM

ET-1336-D

700 LM



ET-1337-M




Headlamp/Magnetic Work Light

ET-1336-M



Patented -- Benex offers an innovative mounting system -- ingenious simplicity and simply ingenious.



ET-1337-E



Hardhat Headlamp/Magnetic Work Light

ET-1336-E



Type-C Rechargeable battery



Max. adjustable angle 60 degrees. The strong magnet base. Emitting red soft light.

**2026-2027**

**Outdoor Lighting**

